



**SHEET 2 OF 2**  
 1"=10' VERT.  
 1"=20' HORIZ.

**PROPOSED SEAWALL & BOATRAMP  
 LOOKING UPSTREAM**

VPI=0+40.0=646.0  
 VPC=0+50=646.0  
 VPT=0+60.0=644.0  
 L=20.00'  
 E=0.5'

T/ROOF=655.0 (TYP.)  
 T/WALL=654.0 (TYP.)  
 STA. 0+50.0

B/WALL  
 STA. 0+00

TOP 6" CONC.  
 FLOOR=646.0

TOP 12"x24"  
 FOOTING=637.0  
 B/FOOTING=636.0

DEADMAN WALL  
 RETAINER SUPPORTS  
 WITH ROD @ 20' O/C

6" CONCRETE SLAB  
 FOR 10'X13' PATIO  
 T/WALL=642.0  
 T/SLAB=642.0

T/NOTCH=STA 0+80  
 ELEVATION=638.0

12" SEAWALL

REMOVABLE BOAT RAMP  
 RAIL EXTEND INTO RIVER

EDGE OF WATER  
 ROCK RIVER; ELEV.±636.0  
 STA. 0+82.1

0+00

0+50

1+00

1+50

651.72  
 600

646.13  
 644.00